



GLASS DOORS FOR COLD ROOMS

TECHNICAL DATA SHEET



HEADQUARTER

Polígono Gardotza, 1
48710 BERRIATUA
Bizkaia (Spain)

Tel: +34 94 603 62 00

e-mail: kide@kide.com
www.kide.com

1. PRODUCT DESCRIPTION

This functional and timeless glass door system displays refrigerated and frozen food stored in cold rooms. Our wide selection of door systems offers versatility for product access, as well as flush doors for internal access in various configurations and dimensions.

Meat, dairy products, ice cream, frozen vegetables or flowers remain clearly visible through the glass while being kept at the correct temperature. The high level of insulation provided by the doors improves energy efficiency in refrigeration units used in petrol stations, self-service wholesale markets and other food retail environments.

The shelving system complements this door range, making frozen and chilled foods attractive and neatly presented on display.

TAKE ADVANTAGE OF ITS BENEFITS

- . Wide range of solutions.
- . Perfectly insulated doors for optimal freezing and cold storage.
- . Condensation-free visibility.
- . Robust frames and doors.
- . Fixed opening function to facilitate product restocking.



Walk-in flush door with black frames

HEADQUARTER

2. TECHNICAL SPECIFICATIONS

GLASS DOOR		
Description	Type	Hinged door
	Application	Cold rooms
	Temperature range	. Refrigeration between +2 °C and +8 °C . Freezing between -25 °C and -18 °C
System configuration	No. of doors per frame	1-5
	Doors	Right-hinged
Glass	Cold rooms	Passive double glazing
	Freezers	. Triple thermal glazing . Passive triple glazing with anti-fog coating
Standard size (mm)	Door height	T = Standard, 1600 mm S = Super, 1800 mm SE = Super Extended, 2031 mm R = Roll-In, 1900 mm W = Walk-in, 2031 m
	Door width	66 = 660 mm 76 = 760 mm 90 = 900 mm
Handle	Handle	. Long handle (on request) . Handle
Door opening characteristics		. Self-closing . Stop . Hold-open
Thermal transmittance / m²K		0,8-1,7 W/m ² K (depending on the model)
Colours	Outer frame and outer door frame	. Natural anodised finish . Black anodised finish
Accessories	Shelving system	Designed for any door configuration

Contact your local representative for available configurations.

HEADQUARTER



HEADQUARTER

Polígono Gardotza, 1
48710 BERRIATUA
Bizkaia (Spain)

Tel: +34 94 603 62 00

e-mail: kide@kide.com
www.kide.com