LOGISTIC DOORS


Rapid roll up door

MOD. SR

KIDE's rapid roll up doors allows smooth transit between two areas, optimising the work process, minimising temperature loss and insulating from noise.

MADE IN
EUROPE

OPTION TO
PERSONALISE
THE CANVAS



They minimise temperature losses and provide acoustic insulation.

Self-repairing system that reduces downtime and maintenance.

Optimised design for quick and easy installation.

Bespoke manufacturing to suit the requirements of each installation.

Polígono Gardotza, 1
48710 BERRIATUA Bizkaia (Spain)
Tel: +34 94 603 62 00
e-mail: kide@kide.com
www.kide.com

1 Internal and external self-repair system





2 Electric control panel





Polígono Gardotza, 1
48710 BERRIATUA Bizkaia (Spain)
Tel: +34 94 603 62 00
e-mail: kide@kide.com
www.kide.com

CANVAS

- Door curtain made from PVC fabric with woven fibres.
- Weight: 900 gr/m².
- Thickness of 1 mm.
- Reinforcement bars to provide rigidity to the curtain.
- Transverse viewing panel.
- Choice of different standard finishes. Colour chart:



- Lower edge of the canvas dark grey.

DRUM

- Extruded aluminium shaft around which the curtain is rolled.
- Extruded aluminium cover housing in RAL 9010.

VERTICAL GUIDES

- Extruded aluminium guides, lacquered in RAL 9010.
- Includes sealing strip on both sides of the guide.
- Patented self-repairing system

MOTOR

- Three-phase motor with 1 kW power.
- Magnetic encoder for position control.
- Electromagnetic brake.
- Handle for manual operation.

ELECTRONIC CONTROL PANEL

- "Inverter" technology.
- Acceleration and deceleration ramp.
- Protection rating: IP 54.
- Operating temperature: 20 ºC to 45 ºC.

POWER SUPPLY

- Single-phase power supply 220 VAC 50 Hz.

ELECTRICAL CONNECTION

- Integrated male plug.

SECURITY SYSTEMS

- Emitter-receiver photocell barrier integrated into the side guides.

SELF-REPAIRING SYSTEM

- Self-reinsertion components accessible from both sides of the door for fast recommissioning.

OPTIONS


- Optional colours outside the standard colour range available upon request.
- Option to personalise the canvas.
- UPS system.
- Interlocking system.


OPTIONAL OPENING DEVICES

- Set of handles.
- Remote control.
- Radar.
- Magnetic loop.
- Contactless push button.

Polígono Gardotza, 1
48710 BERRIATUA Bizkaia (Spain)
Tel: +34 94 603 62 00
e-mail: kide@kide.com
www.kide.com

TECHNICAL DETAILS





Polígono Gardotza, 1
48710 BERRIATUA Bizkaia (Spain)
Tel: +34 94 603 62 00
e-mail: kide@kide.com
www.kide.com